

CORRECTION

Open Access



Correction to: A novel organ preservation solution with efficient clearance of red blood cells improves kidney transplantation in a canine model

Sheng Wang^{1†}, Kristyn Gumpfer^{2†}, Tao Tan², Xianzhang Luo¹, Hui Guo¹, Changsheng Ming¹, Hanying Jiang^{1,4}, Jiangguo Fang⁴, Guang Du⁴, Hua Zhu², Jianjie Ma^{2,3}, Zhishui Chen^{1*} and Nianqiao Gong^{1*}

Correction to: *Cell Biosci* (2018) 8:28

<https://doi.org/10.1186/s13578-018-0226-2>

Following publication of the original article [1], one of the funding was missing in the Funding section.

The updated funding is given below.

Funding

This work was supported by Grants to NQ Gong from the National Natural Science Foundation of China (No. 81570678), to NQ Gong from the Clinical Research Physician Program of Tongji Medical College, HUST, to NQ Gong from Major State Basic Research Development Program of China (No. 2013CB530803, 973), to CS Ming from the National High-Tech Research and Development Program (Program 863) of the Ministry of Science and Technology of China (2012AA021010), and to ZS Chen from the Translational Grant of Tongji Hospital. JM acknowledges support from grant RO1DK106394.

Author details

¹ Institute of Organ Transplantation, Key Laboratory of the Ministry of Health and the Ministry of Education, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China.

² Department of Surgery, Davis Heart and Lung Research Institute, The Ohio State University, Columbus, OH 43210, USA. ³ Department of Molecular and Cellular Biochemistry, The Ohio State University, Columbus, OH 43210, USA. ⁴ Department of Pharmacy, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China.

Published online: 09 May 2020

Reference

1. Wang S, Gumpfer K, Tan T, Luo X, Guo H, Ming C, Jiang H, Fang J, Du G, Zhu H, Ma J, Chen Z, Gong N. A novel organ preservation solution with efficient clearance of red blood cells improves kidney transplantation in a canine model. *Cell Biosci*. 2018;8:28. <https://doi.org/10.1186/s13578-018-0226-2>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1186/s13578-018-0226-2>.

*Correspondence: zschen@tjh.tjmu.edu.cn; nqgong@tjh.tjmu.edu.cn

[†]Sheng Wang and Kristyn Gumpfer contribute equally to this work

¹ Institute of Organ Transplantation, Key Laboratory of the Ministry of Health and the Ministry of Education, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

Full list of author information is available at the end of the article



© The Author(s) 2020. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.